## DOCKET FILE COPY ORIGINAL

Law Offices

### BLOOSTON, MORDKOFSKY, JACKSON & DICKENS

2120 L STREET, NW Washington, DC 20037

(202) 659-0830

FACSIMILE: (202) 828-5568

**AFFILIATED SOUTH AMERICAN OFFICES** 

ESTUDIO JAUREGUI & ASSOCIATES **BUENOS AIRES, ARGENTINA** 

> ROBERT M. JACKSON OF COUNSEL

PERRY W. WOOFTER LEGISLATIVE CONSULTANT

**EUGENE MALISZEWSKYJ** DIRECTOR OF ENGINEERING PRIVATE RADIO

SEAN A. AUSTIN DIRECTOR OF ENGINEERING COMMERCIAL RADIO

November 9, 2000

H-CENE)

NOV 9 2000

EDERAL LUMBERUNTERE BUSINESSE WHE OF THE SECRETARY

WRITER'S CONTACT INFORMATION (202) 828-5540

Magalie R. Salas, Secretary Office of the Secretary **Federal Communications Commission** Washington, D.C. 20554

ADMITTED ONLY IN CALIFORNIA

SUPERVISION BY JOHN PRENDERGAST, A MEMBER OF THE DC BAR

Attention: Patrick Forster, Senior Engineer (3-A104)

**Policy Division** 

Wireless Telecommunications Bureau

**Cable and Communications Corporation** Re:

Implementation Plans of Wireless E911 Phase II Automatic

**Location Identification** 

Notice Pertaining to CC Docket No. 94-102

Dear Ms. Salas:

HAROLD MORDKOFSKY

JOHN A. PRENDERGAST GERARD J. DUFFY

MICHAEL B. ADAMS, JR.

RICHARD D. RUBINO MARY J. SISAK

D. CARY MITCHELL

ARTHUR BLOOSTON

1914 - 1999

SARAH LEEPER \*

BENJAMIN H. DICKENS, JR.

On behalf of Cable and Communications Corporation, we are submitting herewith its Report on Implementation of Wireless E911 Phase II Automatic Location Identification.

Please direct any questions or correspondence regarding this filing to our office.

Very truly yours,

6hn A. Prendergast

Richard D. Rubino

No. of Copies recid 0+4 List ABODE

Attachment

### CABLE AND COMMUNICATIONS CORPORATION

c/o Mid-Rivers Telephone Cooperative, Inc. 904 C Avenue, P.O. Box 280 Circle, MT 59215

Magalie R. Salas, Secretary
Office of the Secretary
Federal Communications Commission
445 12<sup>th</sup> Street, SW
Washington, D.C. 20554

Attention: Patrick Forster, Senior Engineer (3-A104)

**Policy Division** 

Wireless Telecommunications Bureau

Re: Implementation Plans of Wireless E911 Phase II Automatic

Location Identification

Notice Pertaining to CC Docket No. 94-102

### E911 PHASE II STATUS REPORT

Dear Ms. Salas:

In accordance with the *Third Report and Order* in Docket No. 94-102 and the Commission's related Public Notice, Mimeo No. DA00-2099 (*released* September 14, 2000), we hereby submit our report on the status of implementation plans for Wireless E911 Phase II Automatic Location Information, as follows:

### a. Background/Contact Information

1) Carrier Identifying Information: Cable & Communications Corporation

TRS Number: 812411

2) Contact Information: John A. Prendergast, Esq.

D. Cary Mitchell, Esq.

Blooston, Mordkofsky, Jackson & Dickens

2120 L Street, N.W., Suite 300 Washington, D.C. 20037

Tel. (202) 659-0830 Fax (202) 828-5568

Page 2 of 2

### b. E911 Phase II Location Technology Information

Cable & Communications Corporation ("C&CC") is a wholly-owned subsidiary of the Mid Rivers Telephone Cooperative, Inc. ("Mid Rivers") and operates analog cellular telephone networks in the rural service areas and under the call signs listed below.

	Service Area
KNKR289	Montana 3 – Phillips Montana 4 – Daniels
KNKR290	Montana 4 - Daniels
KNKR293	Montana 10 – Prairie

C&CC also holds F-Block broadband PCS license under the call sign WPON362 in the Billings, Montana BTA (BTA041). We have not yet determined the technology that will be used in the build-out of this PCS spectrum, or whether we will use a network based or handset based solution to comply with the E911 ALI Phase II requirement. Once such a technology is chosen for WPON362, we will file a supplemental report which will indicate the type of technology, as well as the equipment vendor, timetable for deployment, and program to ensure a successful implementation. Such report will be filed within 30 days of our implementation decision, in accordance with Rule Section 20.18(i).

C&CC's cellular service territory encompasses areas served by thirteen (13) different PSAPs, as shown on the attached spreadsheet (*see* Attachment A). While 9-1-1 call capability has been implemented in all of these jurisdictions, none of these PSAPs has requested Phase I or Phase II E911 service.

C&CC uses Nortel's DMS-MTX switching equipment in its cellular network, and it is therefore largely dependent upon Nortel for the provision and/or approval of Phase II ALI solutions to be used in its network. According to Nortel, the same network architecture is necessary to support either a handset- or network-based ALI technology with its DMS-MTX platform. This network architecture is described more fully in response to #3, below. However, Nortel recently notified us that it is still in the process of developing solutions for its DMS-MTX platform and that it would only have a limited number of shipments for the generic software release providing the core network standard functionality (J-STD-036) in mid-2001, and more general availability in the fourth quarter next year (i.e., 4Q 2001). Nortel has also indicated that it "can only accommodate a limited number of simultaneous carrier requests for E911 Phase II switch provisioning... for October 2001."

C&CC takes its obligation to provide enhanced 911 services seriously and is committed to working with its equipment vendor and the public safety community to make Phase II ALI capability available to its customers as soon as practicable. However, for reasons described above, it is impossible at this time for C&CC to adequately evaluate its options for the provision of Phase II ALI service.

### 1. Type of Technology:

Because of the higher per pop cost of a rural buildout, and reduced expectation of revenues (due to lower population density), we must be careful in choosing the technology and signaling

format that we will use. We have been monitoring the progress of the various Phase II E911 technologies under development, and have obtained, through our consultants, basic information concerning network-based vendors such as Allen Telecom/Grayson Wireless Division, Cell-Loc, Inc./Times Three, Inc., TruePosition, Inc., U.S. Wireless Corp., and XYPOINT Corporation; and handset-based vendors such as SnapTrack, Inc. and others such as Motorola, Inc., Nokia and Ericsson. We are also aware of a handset-based technology that is reported to work with an analog cellular network, called FoneFinder (also known as the Tendler phone). C&CC is awaiting word back from this vendor about its products.

All of the above products are still under development, and we expect that all will progress significantly over the next 6 to 12 months. We believe that none of these vendors appears to be ready to promise delivery to smaller carriers of a finished product by October 1, 2001, because the vendors are likely to concentrate on the largest carriers. However, we expect that this situation will change substantially by the time we are ready to deploy Phase II technology, and we therefore believe that progress made in rolling out Phase II capabilities in urban areas will allow us to more rapidly deploy a proven technology in our less populated service area.

If we were implementing Phase II today, we would be concerned about the high cost of a network solution, as well as the problems associated with the use of triangulation and similar techniques in a rural setting, where towers are widely spaced and may be separated by uneven terrain. In particular, we have been advised by Nortel that a network solution would involve an immediate cost of \$482,000 for hardware, and \$2,300,000 for software. Because C&CC has approximately 2,000 subscribers, the cost of Phase II compliance with a network-based system would approach \$1,400 per subscriber. We would likewise be concerned with the lack of pricing and delivery information for handset ALI technology, and the fact that GPS solutions are generally limited by the ability of the handset to have a clear line of sight to the GPS satellite (which may limit the effectiveness of E911 calls made from indoors, heavily wooded areas, etc.) Again, we are aware that the manufacturers are addressing all of these issues, and expect that they will be largely resolved by the time we deploy our system and receive a PSAP request for Phase II capability.


At this stage, because of the prohibitive cost of purchasing and installing a network-based Phase II solution, C&CC is inclined to select a handset-based ALI solution. C&CC has not yet selected a particular vendor of handset-based ALI technology. Out of an abundance of caution, we request a waiver of the November 9, 2000 report deadline, to the extent that it can be interpreted as requiring a choice of a particular vendor by that date. As discussed below, no PSAP in our service area is close to being able to use Phase II information.

### 2. Testing and Verification

Testing to verify the Phase II capability will be conducted in accordance with the Empirical Testing Method per OET Bulletin No. 71 and the equipment manufacturer's requirements.

### 3. Implementation Details and Schedule

According to Nortel, the specific network architecture that C&CC will need to implement to support either the handset-based or network-based location technologies in its cellular network is as follows:



MPC – Mobile Positioning Center is responsible for determining which PDE can determine the location of a E911 caller. In addition, in some signaling configurations, the MPC is responsible for providing an interface to the Emergency Services Messaging Entity (i.e. PSAP) for retrieving the location information.

PDE – Positioning Determining Entity is responsible for determining the precise position/location of the wireless handset.

CRDB – Coordinate Routing database which provides a translation between a given position and an Emergency Service Zone.

Implementation Schedule: C&CC plans to adhere to the implementation schedule established by the Commission in the Fourth Memorandum Opinion and Order in CC Docket 94-102. Its ability to do so will depend, in large part, on the ability of the equipment manufacturers to have their products operational and delivered on time. C&CC has requested location technology status from its handset suppliers. However, none has been able to commit to a schedule.

### 4. PSAP Interface

As noted in Attachment A, none of the PSAPs in our operating region has requested Phase I or Phase II service.

### 5. Existing Handsets

C&CC will continue to keep abreast of its current handset suppliers' ALI deployment plans. These suppliers currently include Motorola and Nokia. C&CC's subscribers will be informed beginning next year, by way of bill inserts, of the coming availability of ALI-capable handsets and given the opportunity to acquire them when available.

### 6. Location of Non-Compatible Handsets

Beginning with the October 1, 2001 date for starting to sell and activate ALI-capable handsets, we will use a "best practices" solution in connection with providing ALI to non-compatible handsets, assuming, of course that the PSAP is equipped to utilize Phase II ALI data. It appears that such solutions are currently in development and, at this stage, C&CC is not committed to any particular solution. It is contemplated that we will use customer mailings, bill inserts, store promotions and similar efforts to make our customers and potential customers aware of the availability and benefits of Phase II capability.

### 7. Other Information

In order to ensure that we timely achieve compliance with the Commission's E911 requirements, we will consult with industry sources, especially other rural telephone companies engaging in the provision of analog cellular services, to determine which solution works best for rural areas. We will then decide on a vendor and proceed to implement the chosen solution in accordance with the Commission's Rules.

Page 6 of 6

We stand ready to implement Phase II E911 service in accordance with the Commission's Rules. We will remain in contact with our local PSAPs, and as necessary will update this report to keep the Commission apprised of our progress.

Respectfully submitted,

**CABLE & COMMUNICATIONS CORPORATION** 

 $\mathbf{B}\mathbf{y}$ 

Officer Assistant Manager

Dated: November  $\underline{\mathscr{S}}$ , 2000

## **Attachment A**

Wireless E911 – PSAP Deployment Status Cable & Communications Corporation

# Page 1

# WIRELESS E-911 STATUS

Name of PSAP	Counties Routing	Exchanges Routing to this	011 Status	F011 Ctatus	Dhass	Dhasa II	
	to this PSAP	PSAP	Wireline	Wireline	Wireless	Wireless	
Custer County	Custer County	Rock Springs - 406/354	Implemented	E911 Direct	Not requested	Not	E911 Direct frunk routing.
PSAP- Miles City		Fallon – 406/486 Plevna – 406/772	911	Trunks		requested	Not aware of their ANI/ALI
Dawson County	Dawson County	Glendive - 406/377	Implemented	E911 Direct	Not requested	Not	PSAP has not completed
PSAP -Glendive	•	Circle – 406/485	911	Trunks - PSAP		requested	approved E911 Plan.
		Fallon – 406/486		is not using		•	*
		S. Wolf Point – 406/525		ANI/ALI			
		Lindsay – 406/584	,				
		Bloomfield – 406/583					
		Richey – 406/773					
		Lambert – 406/774					
		West Sidney - 406/798					
Fallon County	Fallon County	Fallon – 406/486	Implemented	Implemented	Not requested	Not	PSAP is currently updating
911 - Baker		East Carlyle – 406/588	911	E911 w/	ı	requested	database for ALI.
		Plevna – 406/772		ANI/ALI		ı	
		Ekalaka – 406/775					
		Baker – 406/778					
McCone County	McCone County	Circle – 406/485	Implemented	Not requested	Not requested	Not	County has completed rural
PSAP - Circle	•	South Wolf Point – 406/525	911			requested	addressing and is researching
		Jordan – 406/557					ANI/ALI equipment.
McKenzie	A//A	Lindsay – 406/584	* / 1.4				
County DCAD	<b>W</b> /NI	N/A	N/A	Not requested	Not requested	Not	Calls currently routed to
County roar						requested	Richland County PSAP. May
							change in the future.
Musselshell	Musselshell	Roundup - 406/323	Implemented	Implemented	Not requested	Not	PSAP is in the process of
County PSAP -	County	Melstone – 406/358	911	E911 w/ in		requested	submitting final draft of
Koundup		Grass Range – 406/428		house ANI			E911 plan. They are working
		Winnett – 406/429		database.			on MSAG file for ALI
		North Ryegate – 406/575				-	database.
		Musselshell – 406/947					

# WIRELESS E-911 STATUS

Name of PSAP	Counties Routing	Exchange Donting to this	011 6404	POTT CX.			₹.
		PSAP	Wireline	Wireline	Fliase I	Virologe II	Comments
					COMPANY	111111111111111111111111111111111111111	
Prairie County PSAP - Terry	Prairie County	Rock Springs – 406/354	Implemented	Not E911	Not requested	Not	Prairie County is working on
,		Lindsay – 406/584	911			requested	rural addressing. No
	_	Terry – 406/635					knowledge.
Richland County PSAP - Sidney	Richland County	West Glendive - 406/687	Implemented	Not requested	Not requested	Not	Not aware of any approved
		Savage – 406/776	911			requested	E911 plan at this time.
		Richey – 406/773					
		Lambert – 406/774					
		West Sidney – 406/798 Sidney – 406/488					
Roosevelt	Roosevelt	South Wolf Point – 406/525	Implemented	Not requested	Not requested	Not	Approved E911 Plan. PSAP
County 911			911			requested	is working on ANI/ALI
							database and equipment.
Rosebud County	Rosebud	Melstone – 406/358	Implemented	Not requested	Not requested	Not	E911 committee has been
PSAP - Forsyth		Musselshell – 406/947	911	•	•	requested	meeting on the development
Tri Count.							of the database. Not aware
I misteria	Fergus Petroleum	Grass Range – 406/428	Implemented	Not requested	Not requested	Not	The are just starting to
ECWISIOWII	Judith Basin	Winnett – 406/428	911			requested	rebuild their rural addressing
		Koy – 406/464					database
W/beed 1/0 11	· · ·	North Kyegate – 406/575					
w neatland/Gold	Wheatland County	Ryegate – 406/568	Implemented	Not requested	Not requested	Not	Obtained cost from Mid-
cii vaiiey County		North Ryegate – 406/575	911			requested	Rivers for E911 services on
711	Golden Valley	Lavina – 406/636					8/11/2000
	County						
Yellowstone	Yellowstone	Custer – 406/856	Implemented	Implemented	Not requested	Not	Working on updating their
County FSAF	County	Musselshell – 406/947	911	Phase I		requested	MSAG database